Hybrid Pro Modular Kit:
Hybrid Pro Modular Kit 08



UV Graphic Panels A, B, D, E, G, H, I (6mm sintra)

Total Graphic Area: 13.28”w x 44.28”h
Finished Graphic Area: 12.28”w x 43.28”h
Please note that graphics A, B, H and I
will be double sided printed.

Dye Sub Graphic Panel C
Total Graphic Area: 51.125 x 98.375”h
Finished Graphic Area: 47.125”w x 94.375”h

Please be sure to include a 2” bleed
around the perimeter of panel C.

Please be sure to include a .5” bleed
around the perimeter of panels A, B, D, E, F, G, H, I.

Please design the hybrid counter artwork on
a separate template

Please consider obstructions and spaces
created by the extrusions when designing
your graphics.

General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should
be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 100-120 ppi
– All fonts must be created to outlines
– Do not scale artboard
– Background color/images must
bleed to the edge of artboard
– Do not use spot colors from template
in your artwork as they will not print

PANEL A
OUTSIDE

PANEL A
INSIDE

PANEL B
OUTSIDE

PANEL B
INSIDE

REPRESENTS
OBSTRUCTION ONLY

PANEL C

PANEL D

PANEL E

PANEL F

PANEL G

PANEL H
INSIDE

PANEL H
OUTSIDE

PANEL I
INSIDE

PANEL I
OUTSIDE

bleed area
trim line

Hybrid Counter: Counter 07



BACK
Total Graphic Area: 22.8125”w X 37.3”h
Total Trim Area: 21.8125”w X 36.3”h
Total Visual Area: 21.3125”w X 35.8125”h

SIDES
Total Graphic Area: 12.5”w X 37.3”h
Total Trim Area: 11.5”w X 36.3”h
Total Visual Area: 11”w X 35.8125”h

DOOR
Total Graphic Area: 19.03”w X 33.6875”h
Total Trim Area: 18.03”w X 32.6875”h
Total Visual Area: 17.53”w X 32.1875”h

Please extend bleed all the way out to the outermost black border on the template. Consider extrusion width and bends when designing graphic layout.

General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 100-120 ppi
– All fonts must be created to outlines
– Do not scale artboard
– Background color/images must bleed to the edge of artboard
– Do not use spot colors from template in your artwork as they will not print

SIDE

BACK

SIDE

FRONT DOOR

bleed area
trim line
safe area